

Refine Search

Search Results -

Term	Documents
(20 NOT 19).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	14
(L20 NOT L19).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	14

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L21

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Thursday, January 19, 2006 [Printable Copy](#) [Create Case](#)

Set
Name Query
 side by
 side

Hit
Count Set
 Name
 result
 set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L21</u>	L20 not l19	14	<u>L21</u>
<u>L20</u>	field\$1 near7 data near2 type near25 vector and instruction near3 format\$1	15	<u>L20</u>
<u>L19</u>	field\$1 near7 data near2 type near12 format near15 vector	9	<u>L19</u>
<u>L18</u>	field\$1 near7 data near2 type near12 format near7 vector	9	<u>L18</u>
<u>L17</u>	field\$1 near7 data near2 type near12 format	707	<u>L17</u>
<u>L16</u>	l7 and condition\$3	1	<u>L16</u>
<u>L15</u>	l7 and conditin\$3	0	<u>L15</u>
<u>L14</u>	L13 near15 (fetch\$5 or prefetch\$5)	35	<u>L14</u>
<u>L13</u>	(set) near1 address near1 registers	1700	<u>L13</u>
<u>L12</u>	(set or group or plurality) near4 address near1 registers	9548	<u>L12</u>
<u>L11</u>	(set or group or plurality) near5 address\$2 near5 registers	17473	<u>L11</u>

<u>L10</u>	address\$2 near5 registers	84145	<u>L10</u>
<u>L9</u>	6895482.pn. and address\$3	1	<u>L9</u>
<u>L8</u>	L7 and sequent\$5	1	<u>L8</u>
<u>L7</u>	5430851.pn.	2	<u>L7</u>
<u>L6</u>	(sepecif\$5) near5 (field\$1) sequent\$6 near5 (fetch\$3 or prefetch\$6) near5 number near3 (instruction\$1 or microinstruction\$1 or sub near1 instruction\$1)	43	<u>L6</u>
<u>L5</u>	(sepecif\$5 or designat\$5) near5 (field\$1) near4 instruction near8 sequent\$6 near5 (fetch\$3 or prefetch\$6) near5 number near3 (instruction\$1 or microinstruction\$1 or sub near1 instruction\$1)	0	<u>L5</u>
<u>L4</u>	(sepecif\$5 or designat\$5) near5 (field\$1) sequent\$6 near5 (fetch\$3 or prefetch\$6) near5 number near3 (instruction\$1 or microinstruction\$1 or sub near1 instruction\$1)	21072	<u>L4</u>
<u>L3</u>	(sepecif\$5 or designat\$5) near7 (field\$1 or operand\$1 or portion\$1) sequent\$6 near5 (fetch\$3 or prefetch\$6) near8 number near8 (instruction\$1 or microinstruction\$1 or sub near1 instruction\$1)	132578	<u>L3</u>
<u>L2</u>	(field\$1 or operand\$1 or portion\$1) sequent\$6 near5 (fetch\$3 or prefetch\$6) near8 number near8 (instruction\$1 or microinstruction\$1 or sub near1 instruction\$1)	8098886	<u>L2</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L1</u>	5197145.pn. and decod\$4	1	<u>L1</u>

END OF SEARCH HISTORY


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [All](#)

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((fetch*, prefetch*) <near/9> (instruction*, microinstruction*, command*) <and> (a..."

e-mail

Your search matched 29 of 1302021 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)
[New Search](#)

» Key

IEEE JNL	IEEE Journal or Magazine
IEEE JNL	IEEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEEE CNF	IEEE Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

Select Article Information:

- ☐ 1. **A high speed microprocessor core for the embedded applications-PKURS001**
 Wang Yingchun; Ji Lijiu; Han Shu; Liu Ling; Wang Yangyuan;
 ASIC, 2001. Proceedings. 4th International Conference on
 23-25 Oct. 2001 Page(s):748 - 751
 Digital Object Identifier 10.1109/ICASIC.2001.982671
[AbstractPlus](#) | Full Text: [PDF](#)(267 KB) IEEE CNF
- ☐ 2. **MARS-a RISC-based architecture for LISP**
 Hung-Chang Lee; Feipei Lai; Jenn-Yuan Tsai; Tai-Ming Parng; Yu-Gang Li;
 Tools for Artificial Intelligence, 1989. Architectures, Languages and Algorithms. IEEE International
 23-25 Oct. 1989 Page(s):198 - 206
 Digital Object Identifier 10.1109/TAI.1989.65321
[AbstractPlus](#) | Full Text: [PDF](#)(788 KB) IEEE CNF
- ☐ 3. **The 68040 integer and floating-point units**
 Ledbetter, B., Jr.; McGarity, R.; Quintana, E.; Reininger, R.;
 Compton Spring '90. 'Intellectual Leverage'. Digest of Papers. Thirty-Fifth IEEE Computer Society
 Conference.
 26 Feb.-2 March 1990 Page(s):259 - 263
 Digital Object Identifier 10.1109/CMPCON.1990.63685
[AbstractPlus](#) | Full Text: [PDF](#)(320 KB) IEEE CNF
- ☐ 4. **Digital signal processor for test and measurement environment**
 Kareem, A.; Saxe, C.L.; Etheridge, E.; McKinney, D.;
 Proceedings of the IEEE
 Volume 75, Issue 9, Sept. 1987 Page(s):1167 - 1171
[AbstractPlus](#) | Full Text: [PDF](#)(407 KB) IEEE JNL
- ☐ 5. **Motorola's 88000 family architecture**
 Alsop, M.;
 Micro, IEEE
 Volume 10, Issue 3, June 1990 Page(s):48 - 66
 Digital Object Identifier 10.1109/40.56325
[AbstractPlus](#) | Full Text: [PDF](#)(1562 KB) IEEE JNL
- ☐ 6. **Enhancing memory-level parallelism via recovery-free value prediction**
 Zhou, H.; Conte, T.M.;

Computers, IEEE Transactions on
Volume 54, Issue 7, July 2005 Page(s):897 - 912
Digital Object Identifier 10.1109/TC.2005.117

[AbstractPlus](#) | Full Text: [PDF](#)(2024 KB) [IEEE JNL](#)



7. MARS: a RISC based multiple function units Lisp machine

Lee, H.-C.; Lai, F.; Pang, T.-M.;
Computers and Digital Techniques, IEE Proceedings-
Volume 139, Issue 5, Sep 1992 Page(s):410 - 420

[AbstractPlus](#) | Full Text: [PDF](#)(784 KB) [IEEE JNL](#)



8. Femtocomputing: new architectural ideas for procedural and evolutionary computers whose in femto-seconds

de Garis, H.; Batty, T.; Wang Ce;
Evolvable Hardware, 2005. Proceedings. 2005 NASA/DoD Conference on
29 June-1 July 2005 Page(s):301 - 306
Digital Object Identifier 10.1109/EH.2005.29

[AbstractPlus](#) | Full Text: [PDF](#)(112 KB) [IEEE CNF](#)



9. The SP16 signal processor

Ungerboeck, G.; Maiwald, D.; Kaeser, H.; Chevillat, P.;
Acoustics, Speech, and Signal Processing, IEEE International Conference on ICASSP '84.
Volume 9, Part 1, Mar 1984 Page(s):664 - 667

[AbstractPlus](#) | Full Text: [PDF](#)(112 KB) [IEEE CNF](#)



10. GASP: A programmable signal processor

Rogers, J.;
Acoustics, Speech, and Signal Processing, IEEE International Conference on ICASSP '76.
Volume 1, Apr 1976 Page(s):651 - 651

[AbstractPlus](#) | Full Text: [PDF](#)(91 KB) [IEEE CNF](#)



11. Fetch Halting on critical load misses

Mehta, N.; Singer, B.; Bahar, R.I.; Leuchtenburg, M.; Weiss, R.;
Computer Design: VLSI in Computers and Processors, 2004. ICCD 2004. Proceedings. IEEE Inter
on
11-13 Oct. 2004 Page(s):244 - 249
Digital Object Identifier 10.1109/ICCD.2004.1347929

[AbstractPlus](#) | Full Text: [PDF](#)(303 KB) [IEEE CNF](#)



12. Design of a high performance microcontroller

Hu Yue-li; Cao Jia-lin; Ran Feng; Liang Zhi-jian;
High Density Microsystem Design and Packaging and Component Failure Analysis, 2004. HDP '04
Sixth IEEE CPMT Conference on
30 June-3 July 2004 Page(s):25 - 28
Digital Object Identifier 10.1109/HPD.2004.1346667

[AbstractPlus](#) | Full Text: [PDF](#)(505 KB) [IEEE CNF](#)



13. Configurable architecture for smart pixel research

Chokhani, A.; Vagheeswar, V.S.; Shankar Raman, K.; Beyette, F.R., Jr.;
Circuits and Systems, 2002. MWSCAS-2002. The 2002 45th Midwest Symposium on
Volume 3, 4-7 Aug. 2002 Page(s):III-520 - III-523 vol.3

[AbstractPlus](#) | Full Text: [PDF](#)(340 KB) [IEEE CNF](#)



14. The Very Simple CPU Simulator

Carpinelli, J.D.;
Frontiers in Education, 2002. FIE 2002. 32nd Annual
Volume 1, 6-9 Nov. 2002 Page(s):T2F-11 - T2F-14 vol.1
Digital Object Identifier 10.1109/FIE.2002.1157946

[AbstractPlus](#) | Full Text: [PDF](#)(340 KB) [IEEE CNF](#)



15. Instruction prediction for step power reduction

Zhenyu Tang; Chang, N.; Shen Lin; Weize Xie; Nakagawa, S.; Lei He;
Quality Electronic Design, 2001 International Symposium on
26-28 March 2001 Page(s):211 - 216
Digital Object Identifier 10.1109/ISQED.2001.915229

[AbstractPlus](#) | Full Text: [PDF](#)(609 KB) [IEEE CNF](#)



16. Optimizing software data prefetches with rotating registers

Doshi, G.; Krishnaiyer, R.; Muthukumar, K.;
Parallel Architectures and Compilation Techniques, 2001. Proceedings. 2001 International Conference
8-12 Sept. 2001 Page(s):257 - 267
Digital Object Identifier 10.1109/PACT.2001.953306

[AbstractPlus](#) | Full Text: [PDF](#)(800 KB) [IEEE CNF](#)



17. Mutable functional units and their applications on microprocessors

Solihin, Y.; Cameron, K.W.; Yong Luo; Lavenier, D.; Gokhale, M.;
Computer Design, 2001. ICCD 2001. Proceedings. 2001 International Conference on
23-26 Sept. 2001 Page(s):234 - 239
Digital Object Identifier 10.1109/ICCD.2001.955034

[AbstractPlus](#) | Full Text: [PDF](#)(608 KB) [IEEE CNF](#)



18. Optimization of vertical and horizontal beamforming kernels on the PowerPC G4 processor technology

Cho, Y.H.; Brunke, D.; Allen, G.E.; Evans, B.L.;
Signals, Systems and Computers, 2000. Conference Record of the Thirty-Fourth Asilomar Conference
Volume 2, 29 Oct.-1 Nov. 2000 Page(s):1670 - 1674 vol.2
Digital Object Identifier 10.1109/ACSSC.2000.911273

[AbstractPlus](#) | Full Text: [PDF](#)(472 KB) [IEEE CNF](#)



19. A superscalar RISC processor with 160 FPRs for large scale scientific processing

Shimada, K.; Kawashimo, T.; Hanawa, M.; Yamagata, R.; Kamada, E.;
Computer Design, 1999. (ICCD '99) International Conference on
10-13 Oct. 1999 Page(s):279 - 280
Digital Object Identifier 10.1109/ICCD.1999.808438

[AbstractPlus](#) | Full Text: [PDF](#)(28 KB) [IEEE CNF](#)



20. A 7th-generation x86 microprocessor

Hesley, S.; Andrade, V.; Burd, B.; Constant, G.; Correll, J.; Crowley, M.; Golden, M.; Hopkins, N.; Is
Khondker, R.; Meyer, D.; Moench, J.; Partovi, H.; Posey, R.; Weber, F.; Yong, J.;
Solid-State Circuits Conference, 1999. Digest of Technical Papers. ISSCC. 1999 IEEE International
15-17 Feb. 1999 Page(s):92 - 93
Digital Object Identifier 10.1109/ISSCC.1999.759134

[AbstractPlus](#) | Full Text: [PDF](#)(144 KB) [IEEE CNF](#)



21. Real-time high-throughput sonar beamforming kernels using native signal processing and hiding techniques

Allen, G.E.; Evans, B.L.; John, L.K.;
Signals, Systems, and Computers, 1999. Conference Record of the Thirty-Third Asilomar Conference
Volume 1, 24-27 Oct. 1999 Page(s):137 - 141 vol.1
Digital Object Identifier 10.1109/ACSSC.1999.832310

[AbstractPlus](#) | Full Text: [PDF](#)(468 KB) [IEEE CNF](#)



22. AltiVec™: bringing vector technology to the PowerPC™ processor family

Tyler, J.; Lent, J.; Mather, A.; Huy Nguyen;
Performance, Computing and Communications Conference, 1999. IPCCC '99. IEEE International
10-12 Feb. 1999 Page(s):437 - 444

Digital Object Identifier 10.1109/PCCC.1999.749469

[AbstractPlus](#) | Full Text: [PDF](#)(520 KB) [IEEE CNF](#)



23. A commercial multithreaded RISC processor

Storino, S.; Alpperspach, A.; Borkenhagen, J.; Eickemeyer, R.; Kunkel, S.; Levenstein, S.; Uhlman; Solid-State Circuits Conference, 1998. Digest of Technical Papers. 45th ISSCC 1998 IEEE Interna 5-7 Feb. 1998 Page(s):234 - 235, 442

Digital Object Identifier 10.1109/ISSCC.1998.672449

[AbstractPlus](#) | Full Text: [PDF](#)(516 KB) [IEEE CNF](#)



24. MARS-Multiprocessor architecture reconciling symbolic with numerical processing-a CPU a delay branch/jump

Gia-Shuh Jang; Feipei Lai; Hung-Chang Lee; Yeong-Chang Maa; Tai-Ming Parng; Jenn-Yuan Tsai VLSI Technology, Systems and Applications, 1989. Proceedings of Technical Papers. 1989 Intern 17-19 May 1989 Page(s):365 - 370

Digital Object Identifier 10.1109/VTSA.1989.68647

[AbstractPlus](#) | Full Text: [PDF](#)(496 KB) [IEEE CNF](#)



25. Micro-architecture of the VAX 9000

Murray, J.E.; Salett, R.M.; Hetherington, R.C.; McKeen, F.X.;

Compon Spring '90. 'Intellectual Leverage'. Digest of Papers. Thirty-Fifth IEEE Computer Society Conference.

26 Feb.-2 March 1990 Page(s):44 - 53

Digital Object Identifier 10.1109/CMPCON.1990.63652

[AbstractPlus](#) | Full Text: [PDF](#)(764 KB) [IEEE CNF](#)



Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2005 IEEE